

Computational Modeling
Syntaxfest
Indiana University

Hans-Jörg Tiede
Illinois Wesleyan University
htiede@iwu.edu
<http://www.iwu.edu/~htiede>

- Overview
 - Formal/Mathematical/Computational Modeling
 - Categorical Grammars and Parsing
 - Proof Theory and Formal Grammars
 - Unification
 - Identifiability in the Limit

Formal/Mathematical/Computational Modeling

From now on I will consider a *language* to be a set (finite or infinite) of sentences, each finite in length and constructed out of a finite set of elements.

(Chomsky (1957), *Syntactic Structures*, Mouton.)

- References

- Partee, ter Meulen & Wall (1993), *Mathematical Methods in Linguistics*. Kluwer.
- van Benthem & ter Meulen (eds.) (1997), *Handbook of Logic and Language*. MIT Press and Elsevier.
- Kracht (2003), *The Mathematics of Language*. Mouton de Gruyter.

Categorial Grammars and Parsing

- References

- Nederhof & Satta (2004), “Tabular Parsing.” In: *Formal Languages and Applications*. Springer.
- Pullum & Gazdar (1982), “Natural Languages and Context-Free Languages.” In: *Linguistics and Philosophy*. 4(4): 471-504.
- Shieber (1985), “Evidence Against the Context-freeness of Natural Language.” In: *Linguistics and Philosophy*. 8(3): 333-343.

Proof Theory and Formal Grammars

- References

- Retoré & Lecomte, (2001) “Extending Lambek grammars: a logical account of minimalist grammars.” ACL-EACL.
<http://retore.chez.tiscali.fr/boulot/>
- Tiede (2003), “Proof Theory and Formal Grammars - Applications of Normalization.” In: *Foundations of the Formal Sciences II*. Kluwer.

Unification

- References

- Buszkowski & Penn (1990), “Categorical grammars determined from linguistic data by unification.” *Studia Logica* (49):431–454.
- van Benthem (1995), *Language in Action*. MIT Press.

Identifiability in the Limit

- References

- Jain, Osherson, Royer & Sharma (1999), *Systems that Learn*. 2nd ed. MIT Press.
- Kanazawa (1998), *Learnable Classes of Categorical Grammars*. CSLI Publications.
- Retoré & Bonato (2001), “Learning rigid Lambek grammars and minimalist grammars from structured sentences.” *3rd Workshop on Learning Language in Logic*. <http://retore.chez.tiscali.fr/boulot/>